STA 291 Fall 2009

LECTURE 2 TUESDAY, 1 September

Administrative



- Start watching for real homework 1.
- Suggested problems from the textbook (not graded, but useful as exam preparation): 2.1 - 2.8
- Watch the web page for news about the lab/ recitation sessions
- Today is last add day—check web page for override policy 🕾

What is Statistics? Methods for Collecting, Describing, Analyzing, and Drawing Conclusions from Data These methods are used for. Description •Summarizing data •Exploring patterns Inference Design •Planning research Make predictions based on the data in the data studies •How best to obtain •Extract/condense "Infer" from sample information •Graphical pictures to population •Generalize the required data of the data

requency Distributio	Highest Degree Grade School	Number of Employees
requericy Distributio		15
	High School	200
	Bachelor's	185
	Master's	55
	Doctorate	70
	Other	25
	Total	550
Plot 110	i de	

Basic Terminology One



Population

- total set of all subjects of interest
- the entire group of people, animal or things about which we want information

Elementary Unit

- any individual member of the population

Sample

- subset of the population from which the study actually collects information
- used to draw conclusions about the whole population

Basic Terminology Two



- a characteristic of a unit that can vary among subjects in the population/sample
- Examples: gender, nationality, age, income, hair color, height, disease status, company rating, grade in STA 291, state of

residence Sampling Frame

- listing of all the units in the population
- Parameter

 numerical characteristic of the population
 calculated using the whole population

Statistic

- numerical characteristic of the **sample**calculated using the sample

	1
Statistic of the Week	
Statistic of the Week	
From the Syllabus:	
Lab Exercises:	-
Lab Exercises are typically based on the suggested homework and will be given during recitation. The emphasis will be on calculations and the use of formulas. Usually, the exercise will consist of 1 to 3 problems. One-third	
of the lab grade will be based on turning in an original copy, taken from a physical medium (newspaper, magazine, pamphlet, etc.), of a statistic. This will not begin until the second week of lab—a particular documentation must accompany the statistic to earn full credit. The two lowest (total lab) grades will be	
 "Particular documentation" must include: Your name 	-
Citation (link on web page for info)	
• Population	
SampleParameter	
Statistic	
	1
Data Collection and Sampling Theory	
	-
W/L4	
Why not measure all of the units in the	-
population? Why not take a census?	
Problems:	-
• Accuracy: May not be able to list them all—	
may not be able to come up with a frame .	
• Time: Speed of Response	
• Expense: Cost	
Infinite Population	
Destructive Sampling or Testing	
	7
Flavors of Statistics	
9	
Descriptive Statistics	
Summarizing the information in a collection of	-
data	
• Inferential Statistics	
 Using information from a sample to make 	
conclusions/predictions about the population	

Example 1
University Health Services at UK conducts a survey about alcohol abuse among students. Two-hundred of the 30,000 students are sampled and asked to complete a questionnaire. One question is "Have you regretted something you did while drinking"?

For the 30,000 students, of interest is the percentage who would respond "yes".

• Is this value a parameter or a statistic?

The percentage who respond "yes" is computed for the students sampled.

• Is this a parameter or a statistic?

• What is the population? Sample?

Example 2



The Current Population Survey of about 60,000 households in the United States in 2002 distinguishes three types of families: Married-couple (MC), Female householder and no husband (FH), Male householder and no wife (MH).

- It indicated that 5.3% of "MC", 26.5% of "FH", and 12.1% of "MH" families have annual income below the poverty level.
- Are these numbers statistics or parameters?

The report says that the percentage of all "FH" families in the USA with income below the poverty level is at least 25.5% but no greater than 27.5%.

• Is this an example of descriptive or inferential statistics?

Modified Example



- A census of all households in Lexington indicated that 6.2% of married couple households in Lexington have annual income below the poverty level.
- Is this number a statistic or a parameter?

Univariate versus Multivariate	
• Univariate data set - Consists of observations on a single attribute • Multivariate data - Consists of observations on several attributes • Special case: Bivariate data - Two attributes collected per observation	
Scales of Measurement - Qualitative and Quantitative - Nominal and Ordinal - Discrete and Continuous	
Nominal or Ordinal, Difference	
• Nominal: gender, nationality, hair color, state of residence • Nominal variables have a scale of unordered categories • It does not make sense to say, for example, that green hair is greater/higher/better than orange hair	

	-
Nominal or <u>Ordinal</u> , Difference	
Ordinal: Disease status, company rating, grade in STA 291	
Ordinal variables have a scale of ordered categories. They are often treated in a quantitative manner	
(A=4.0, B=3.0,)	-
One unit can have more of a certain property than does another unit	
Nominal or Ordinal, What in Common?	<u> </u>
•They're all categorical and	
therefore qualitative	
variables.	
If not Qualitative, then what?	
18	
• Then they're Quantitative	
• Quantitative variables are measured numerically, that is, for each subject, a	-
number is observed	

• The scale for quantitative variables is called **interval scale**

Scale of Measurement Example



The following data are collected on newborns as part of a birth registry database:

- Ethnic background: African-American, Hispanic, Native American, Caucasian, Other
- Infant's Condition: Excellent, Good, Fair, Poor
- Birthweight: in grams
- Number of prenatal visits

What are the appropriate scales?

Why is it important to distinguish between different types of data?



Nominal

Some statistical methods only work for quantitative variables, others are designed for qualitative variables. The higher the level, the more information and the better statistical methods we may use.

Discrete versus Continuous



- A variable is <u>discrete</u> if it has a finite number of possible values
- **All** qualitative (categorical) variables are discrete.
- Some quantitative (numeric) variables are discrete which are not?
- A variable is **continuous** if it can take all the values in a continuum of real values.

Discrete	versus	Continuous,	Which?
	VCISUS	Communacus,	VVIIICII.



- Discrete versus Continuous for quantitative variables:
 - discrete quantitative variables are (almost) always counts
 - continuous quantitative variables are everything else, but are usually physical measures such as time, distance, volume, speed, etc.

Simple Random Sample



- Each possible sample has the same probability of being selected.
- The sample size is usually denoted by *n*.

SRS Example



- Population of 4 students: Adam, Bob, Christina, Dana
- Select a simple random sample (SRS) of size n=2 to ask them about their smoking habits
- 6 possible samples of size n=2:
 - (1) A & B, (2) A & C, (3) A & D
 - (4) B & C, (5) B & D, (6) C & D

	,
How to choose a SRS?	
• Old way: use a random number table.	
• A little more modern: http://www.randomizer.org	
(first lab exercise)	
How not to choose a SRS?	
26)	
Ask Adam and Dana because they are in your office anyway	
- "convenience sample"	
Ask who wants to take part in the survey and take the first two who volunteer	
- "volunteer sampling"	
	1
Problems with Volunteer Samples	
• The sample will poorly represent the	
population	
 Misleading conclusions BIAS	
BIASExamples: Mall interview, Street corner	
interview	

Attendance Survey Question #1	
On an index card	
- Please write down your name and section number	
– Today's Questions:	